

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/608,208	06/30/2003	Jun Yoshida	500.42881X00	7656
24956 7590 04/09/2007 MATTINGLY, STANGER, MALUR & BRUNDIDGE, P.C. 1800 DIAGONAL ROAD SUITE 370 ALEXANDRIA, VA 22314			EXAMINER	
			KANG, INSUN	
			ART UNIT	PAPER NUMBER
			2193	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		04/09/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)		
	10/608,208	YOSHIDA ET AL.		
Office Action Summary	Examiner	Art Unit		
·	Insun Kang	2193		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timuserill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE!	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status		·		
Responsive to communication(s) filed on 10 Ja This action is FINAL. 2b) ☐ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro	· · · · · · · · · · · · · · · · · · ·		
Disposition of Claims				
4) ⊠ Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-8 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or				
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119	6.3			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate		

DETAILED ACTION

1. This action is responding to amendment filed on 1/10/2007.

2. As per applicant's request, claims 1, 2, 7, and 8 have been amended. Claims 1-8 are pending in the application.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-8 are rejected under 35 U.S.C. 102(e) as being anticipated by Stelting (US Pg. Pub. 2004/0030740).

Per claim 1:

Stelting discloses:

- making said computer read from work flow definition information of a storage unit, set kinds of screens in a source and destination, and a display flow of said screens, in accordance with a relationship between source and destination work flow definition information for producing screen flow definition (i.e. "the user interface ... may utilize a GUI wizard to display an input box ... requesting at input portion ... the operator to enter a name for the new Web service and requesting a description of the new Web service

Art Unit: 2193

in input portion 320 of box 300," page 5, 0034; "input and output mapping information is received ... for each input and output for each of the selected services," page 5, 0037; 0035; 0029; Fig 6; "It displays the data type for the input 576, 586 and output 593 values. It prompts the developer for a first input at box 574, for the source 578 of the data, and the value 580. Likewise, the GUI window 570 prompts the developer for a second input at box 584," 0037), and store said screen flow definition information into said storage unit in accordance with said read setting (i.e. see Fig 6; "applying any selected configurations to the selected services...rules...Memory...is provided for...storing located services," 0030; 0029; 0037; 0026; 0027); in accordance with said screen flow definition information and work-to-service correspondence definition information stored in said storage unit in advance and indicating correspondence of each work to a program providing each service used in said work, creating an input/output screen for executing a program providing said service corresponding to each work (i.e. "a GUI window 570 displays the inputs and outputs for a service," 0037) ; and outputting an execution result of said program providing said service using said input/output screen in accordance with said screen flow definition information and said work-to-service correspondence definition information (i.e. "a GUI window 570 displays the inputs and outputs for a service," 0037; "A service selection and configuration module 138 is included allow an operator...to select from the available services located by the service detector a number of services for inclusion in the new Web service...selecting services, the service and selection module 138 allows the operator to select the order or relationship of the selected services within the new Web

Art Unit: 2193

services...such as order of performing the various services," 0029; 0026; 0027; Fig 6; 0034).

Per claim 2, this claim is another version of the claimed method discussed in claims 1, wherein all claim limitations also have been addressed and/or covered in cited areas as set forth the above.

Per claim 3:

The rejection of claim 2 is incorporated, and further, Stelting teaches:

-reading each line of said work flow definition information, and adding each line to said screen flow definition information for each source work, said added line having an input screen of a source work, said source work and an output screen of said source work correspondingly to a source screen, a work and a destination screen respectively (i.e. Fig 6); adding a line having an output screen of a source work and a branch selection screen as said source screen and said destination screen respectively and a line having a branch selection screen and an input screen of said destination work as said source screen and said destination screen when a source work in a next line of said work flow definition information is the same as that in said current line (i.e. "In addition to selecting services, the service and selection module 138 allows the operator to select the order or relationship of the selected services within the new Web service (such as order of performing the various services and allow nesting and other relationships between the selected services...may involve a more complex or

Art Unit: 2193

sophisticated sequence of calls... a service call language can be utilized within the Web services developer system 130 that supports additional behaviors such as conditional execution, branching, and flow control statements in the new Web service," 0029); and adding a line having an output screen of a source work and an input screen of a destination screen as said source screen and said destination screen to thereby create said screen flow definition information when said source work in said next line of said work flow definition information is not the same as that in said current line(i.e. 0026; 0027; 0029; Fig 6; 0034).

Per claim 4:

The rejection of claim 2 is incorporated, and further, Stelting teaches:

-reading each line of said screen flow definition information; when said source screen is an input screen, adding names of input data and text fields thereof to said input screen in accordance with said work-to-service correspondence definition information; when there are a plurality of corresponding service components(i.e. "a GUI window 570 displays the inputs and outputs for a service," 0037; "A service selection and configuration module 138 is included allow an operator... to select from the available services located by the service detector a number of services for inclusion in the new Web service... selecting services, the service and selection module 138 allows the operator to select the order or relationship of the selected services within the new Web services... such as order of performing the various services," 0029; 0026; 0027; Fig 6; 0034), adding a combo box and a button to said screen, said combo box being

Art Unit: 2193

provided for selecting a service component name, said button being provided for executing a request; when said source screen is a branch selection screen, adding buttons to said screen, said buttons being provided for moving to said destination screen; and when said destination screen is an output screen, adding names of output data and text fields thereof to said output screen, adding text fields for displaying performance evaluation results or reliability evaluation results to said screen, and adding a button to said screen for moving to a next screen, in accordance with said work-to-service correspondence definition information (i.e. "The user interface may utilize any number of well-known graphical user interface (GUI) devices such as dialog boxes, pull down lists with selectable items, and buttons and even use touch screens and audio interfaces for receiving input," 0027; "A service selection and configuration module 138 is included allow an operator...to select from the available services located by the service detector a number of services for inclusion in the new Web service...selecting services, the service and selection module 138 allows the operator to select the order or relationship of the selected services within the new Web services...such as order of performing the various services," 0029; Fig 5-7; 0034).

Per claim 5:

The rejection of claim 2 is incorporated, and further, Stelling teaches:

-allowing a user to transmit a request including input data and a service name to a screen flow control portion through an input screen (i.e. "The input box 400 further includes navigation/input buttons 430, 440, 450, and 460 to allow the developer to

Art Unit: 2193

move within the process 200 such as to steps 220 and 236," 0036); making said screen flow control portion read a line from said screen flow definition information correspondingly to said input screen from which said request is transmitted, judge whether there is a work in said line or not, and call a service calling portion when there is a work; receiving said request, making said service calling portion call a service component (i.e. "At 236, the process 200 continues with prompting the developer for selection of one or more of the identified and reported available services for inclusion in the new Web service or to make available as Web services. As shown in FIG. 5, an input box 500 is provided with an available services portion 510 listing the available services that can be included in the new Web service, such as by selecting service in the box portion 510 and selecting the "ADD" button 514. Services that have been selected for inclusion in the new Web service are shown in box portion 520 under the name or identifier of the new Web service," 0036) and storing an execution result of said service component into a shared data storage portion; and making said screen flow control portion call a destination screen from said screen flow definition information, embed information including said execution result into said destination screen, and display said destination screen to said user (i.e. " such services are shown in the order they are to be invoked, and in some embodiments, the input box 500 (and service selection and configuration module 138) are adapted to allow the developer to reorder the selected services in box portion 520 and to nest or otherwise define the hierarchy or relationship between the selected services. Navigation buttons 530, 540, 550, and 560 are provided to allow the developer to move within the

Art Unit: 2193

process 200 or to terminate the process 200. At 240, the service selection and configuration module 138 receive the input from the developer indicating which of the available services are to be included (and in which order) in the new Web service," 0036; 0026; 0027; 0029; Fig 6; 0034).

Per claim 6:

The rejection of claim 2 is incorporated, and further, Stelling teaches: said service component is called through a network (i.e. "Web service," 0026).

Per claim 7:

Stelting discloses:

-means for receiving work flow definition information indicating a flow among works, setting kinds of screens in a source and destination, and a display flow of said screens, in accordance with a relationship between source and destination work flow definition information for producing screen flow definition, and creating said screen flow definition information (i.e. "the user interface ... may utilize a *GUI wizard to display an input box* ... requesting at input portion ... the operator to enter a name for the *new Web service* and requesting a description of the new Web service in input portion 320 of box 300," page 5, 0034; "input and output mapping information is received ... for each input and output for each of the selected services," page 5, 0037; 0035; 0029; Fig 6; "It displays the *data type for the input 576, 586 and output 593* values. It prompts the developer for a first input at box 574, for the source 578 of the data, and the value 580.

Application/Control Number: 10/608,208 Page 9

Art Unit: 2193

Likewise, the GUI window 570 prompts the developer for a second input at box 584," 0037); means for receiving said screen flow definition information and work-to-service correspondence definition information indicating correspondence of said works to said service components (i.e. "a GUI window 570 displays the inputs and outputs for a service," 0037; 0026; 0027; 0029; Fig 6; 0034), and creating an input/output screen for executing a service component corresponding to each work; and means for verifying a combination of said service components by use of said work-to-service correspondence definition information, said created screen flow definition information and said input/output screen(i.e. "A service selection and configuration module 138 is included allow an operator... to select from the available services located by the service detector a number of services for inclusion in the new Web service... selecting services, the service and selection module 138 allows the operator to select the order or relationship of the selected services within the new Web services... such as order of performing the various services," 0029; 0026; 0027; Fig 6; 0034).

Per claim 8, it is the computer-readable storage medium version of claim 1, respectively, and is rejected for the same reasons set forth in connection with the rejection of claim 1 above.

Response to Arguments

5. Applicant's arguments filed on 1/10/2007 have been fully considered but they are not persuasive.

Art Unit: 2193

Applicant states that: 1) Stelling does not disclose setting a display flow of screen and use of screen flow definition information.

In response to the above statement 1): Stelting discloses a service selection module and configuration module to "allow an operator... to select from the available services located by the service detector a number of services for inclusion in the new Web service... The selection module allows the operator to select the order or relationship of the selected services within the new Web services... such as order of performing the various services," 0029). The order or relationship (flows) of the Web services is displayed for selection.

Applicant states that: 2) Stelling does not disclose the work-to-service correspondence definition information.

In response to the above statement 2): Stelling discloses that the operator to enter a name for the new Web service and requesting a description of the new Web service in input portion 320 of box 300 (page 5, 0034). The input and output mapping information is received for each input and output for each of the selected services (page 5, 0037; 0035; 0029; Fig 6). The input description (work) for a new Web service (service) and the mapping information correspond to the work-to-service definition information.

Conclusion

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2193

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Insun Kang whose telephone number is 571-272-3724. The examiner can normally be reached on M-R 6:30-5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MENG AI AN can be reached on 571-272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Art Unit: 2193

Page 12

Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

IK AU 2193.

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100